

## OUH INDUSTRIAL FAN HEATERS

### What is an Industrial Fan Heater?

Our rugged and reliable industrial fan heaters are designed to efficiently space heat industrial premises. These units are hand assembled in the UK and are backed with a 5 year warranty. Now available with Wi-Fi controls.



### Key Features

- FIVE YEAR WARRANTY
- Robust all-steel construction
- Bracket for wall or ceiling mounting and hooks for vertical suspension (The OUH3-40 can only be hung from 10mm drop rods)
- Built-in adjustable thermostat plus over temperature and heat purge devices
- Fitted with fused control circuit and contactor
- Optional switch provides on/off/fan only settings
- Remote-mounted programmable thermostats available
- Up to 16 heaters can be connected together and controlled from a single controller



#### Energy Saving Tip

Installing a destratification unit can reduce your heating bill by up to 30% (see page 40).



Purchase From  
Electrical Wholesaler










Delivered Next  
Day As Standard

## OUH Industrial Fan Heaters

Model	kW
OUH3-03	3.0
OUH3-06	6.0
OUH3-09	9.0
OUH3-15	15
OUH3-20	20
OUH3-25	25
OUH3-40 <b>NEW</b>	40

## Control and Accessories

	Description	Model	Details
	Switch (On/off/fan only)	OUH3-S	Page 127
	Programable wall-mounted thermostat + Fan Only override for OUH3 industrial fan heaters	OUH3-DT	Page 122
	Programmable / WiFi wall-mounted thermostat + fan only override for OUH3 industrial fan heaters	OUH3-WIFI	Page 122
	Optional remote air sensor for OUH3-DT or OUH3-WIFI	CXS	Page 123
	Mechanical frost thermostat. Overrides other thermostats and OUH3-S switch	FST-RS	Page 115
	Industrial tamperproof room thermostat	RST-RS	Page 114
	Suspension kit for OUH3 heaters (four hooks and locknuts) (Do not use with the OUH3-40)	OUH3-HK	-

## Technical

Model	Volts	Airflow (m3/h)	dB*@2m	W	D	H	Weight (kg)
OUH3-03	230	1100	53	435	405	320	18
OUH3-06	230	1100	53	435	405	320	18
OUH3-09	230 or 400/3N	1100	53	435	405	320	18.5
OUH3-15	400/3N	3150	61	565	485	445	37
OUH3-20	400/3N	3150	61	565	485	445	37.5
OUH3-25	400/3N	3150	61	565	485	445	38.5
OUH3-40	400/3N	5600	66	642	765	582	56

\*Noise levels are factory tested not laboratory tested

Where roof height exceeds 4m we recommend using our DSU destratification units (see pages 40-42).



## Maranello Ferrari

Location: Egham, Surrey

Installed: 2 x 20kW Industrial Fan Heaters





## Quaife Engineering Ltd

Location: Sevenoaks, Kent

Installed: 2 x 25kW Industrial Fan Heaters; 3 x 10kW Industrial Fan Heaters