


PH PEW HEATERS

What is a Pew Heater?

A discreet and unobtrusive heater that lives under church pews and directly heats pew occupants. Pew heaters have become a staple product for churches looking for a low carbon electric heating system.



Key Features

- Mounted directly below pew's seat
- Dark brown paint finish reduces visual impact
- Silent draught-free operation
- Fixed directly to a pew's backboard or using optional brackets
- Robust steel construction
- 20mm cable entries at both ends for electrical connection
- External guard not required



Energy Saving Tip

Installing an on/off switch on each pew enables you to only heat pews when they are occupied.



Purchase From
Electrical Wholesaler



Delivered Next
Day As Standard

Heaters

Model	Length (mm)	kW
PH30	525	0.3
PH45	702	0.45
PH65	948	0.65

Technical


Model	kW	Volts	Dimensions (mm)			Weight (kg)
			L	D	H	
PH30	0.3	230	525	58	168	2.4
PH45	0.45	230	702	58	168	3.1
PH65	0.65	230	948	58	168	4.1

Optional Brackets

Model	Description
PHB	Suspension brackets (pair) assembled height 290mm
PHF	Floor brackets (pair) assembled height 204mm

Selection

Space Between Seat Supports (mm)		Recommended Heater
Minimum	Maximum	
600	750	PH30
750	1000	PH45
1000	1500	PH65
1500+		Multiple heaters





St James' Church

Location: Egerton, Kent

Installed: 45 x 300W Pew Heaters



Holy Trinity Church

Location: Coalbrookdale, Telford
Installed: 54 x 450W Pew Heaters